客户第一 改革创新

湖北银康医疗设备有限公司

Hubei Yinkang Medical Equipment CO., Ltd

地址:湖北省监利县毛市镇上关庙村

Company Address: Shangguanmiao Village, Maoshi Town, Jianl

County Jingzhou City Hubei Province China.

电话(Tel.): 0086-716-3080678 传真(Fax.): 0086-716-3642908 网站(Web.): www.hbyinkang.com







Certification



9355	据太阳原风度显高有限合成			
REDURN	401003000002790			
ther	SHEERSLAND			
10日間	DARCORISM			
SCHOOL SERVICE	.03111	4.	II.	titre-specifé
Asnas	米女郎			
中央出现人	就 后			
RIKA:	RS	8.64	361	13072361300
N N	8716-34 (200)	478	in:	2797338904 ₀₃₋₀₁₈
5748	1 死 464 共和州市政治发展系			
120	THE EPIECE.			
PARK	ERRANT. FIRST TI			
1.4	HENTARADIVERSEA.			

Hubei Yinkang Medical Equipment Co., Ltd. is specialized in hospital beds and other hospital furniture manufacturer. Our company is located in the beautiful ancient city-----Jianli county, Jingzhou city. Jianli City is a port city in the middle of Yangtze River with convenient transportation access, only 2 hours away from Wuhan Port and Wuhan Tianhe Airport.

Yinkang facility covers an area more than 10000 square

meters, occupancy more than 5000 square meters. Our factory is combined with manufacture, sales, service, and support of the most innovative hospital furniture solutions. We own a strong R&D manufacturing capabilities, advanced production equipment, a full set of precision testing lines, professional technicist and improved management system. We mainly produce electric and manual hospital beds, operation tables, a series of medical chairs, stainless steel medical trolleys, medical instrument table, cabinet, medicine cabinet etc., with dozens of categories and more than one hundred series of goods. Our production strictly enforce the law of the People's Republic of China on medical product registration standards. It is in accordance with ISO13485 and CE approved. Our products are sold out to the country and also exported to the world. Reliable quality and good service get us favorable comments by domestic and foreign customers.

Yinkang's goal is" quality first, pioneering and innovative". We warmly welcome new and old customers to guide, negotiate business and seek common development.







VIVAZIBÈÈ

湖北银康医疗设备有限公司是生产医疗病 床及其他医疗设备的专业厂商,公司坐落 于风景优美的古城---荆州监利。监利是 长江中游的港口城市, 距离武汉港、武汉 天河机场仅需2个小时,交通十分便利。

工厂占地面积10000多平方米,用房 面积为5000多平方米。公司集生产、销售 、服务为一体, 提供最完善的医疗解决方 案。公司拥有强大的研发、制造能力, 先 进的生产设备,全套的精密检测线,专业 的技术人员和健全的标准化管理制度。我 们主要生产各类医用病床、电动床、手术 床、各类医用椅、不锈钢治疗车、医用器 械台、柜、药品柜及相配套的等几十个种 Stretcher series 类,数百种产品。我们产品的生产严格执 行《中华人民共和国医疗产品注册标准》 ,产品质量符合IS013485质量管理体系认 ABS medical cabinet 证和欧盟CE认证。产品畅销全国各地,远 销世界。可靠的品质和星级的服务,深受 YK系列金属加工用具 国内外顾客的赞誉和好评。

我们始终坚持 "质量第一, 开拓创新"。 我们热忱欢迎新老客户光临指导,洽谈业 Operating tables, Patient cart 务, 共谋发展!

YKA 糸列病床 YKASeries of bed	01-08
YKB系列病床 YKBSeries of bed	09-32
YKB系列病床(骨、 YKB bed(orthopaedic、	婴儿、诊查) baby、diagnosis)33-37
担架系列 Stretcher series	38-41


ABS医用柜 42-45

YK series metal processing equipment 42-60

61-68



- ·Tuck away big ABS railing
- ·Perforated powder coated steel bed platform
- ·Bed frame & surface made of cold-rolled steel tubes
- ·Patient & Nurse control panel built-in both railing
- ·Central locking 6"castors
- ·Angle degree indicator
- ·CPR quick release(manual & electrical)
- ·One button chair position
- ·Bed platform can do X-ray













- wire mesh powder coated steel bed platform
- ·Powerful actuator system.
- ·Central locking 6"castors
- ·Nurse control below foot board





























- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 5-stuff railing
- ·Perforated powder coated steel bed platform
- ·Central locking 6"castors
- ·Chair position





Electric Hospital Bed

- ·Detachable ABS head & foot board
- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform with multi-board
- ·Control panel built-in railing
- ·Nurse control panel built-in foot board
- ·Central locking 6"castors

Quality first, pioneering and innovative



Quality first, pioneering and innovative





- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake



















- ·Tuck away ABS railing
- wire mesh powder coated steel bed platform
- ·Central locking 6"castors
- ·turn-over position

Quality first, pioneering and innovative



- ·Detachable ABS head & foot board
- ·Tuck away ABS railing
- ·ABS bed platform
- ·Powerful actuator system.
- ·Central locking 6"castors



Quality first, pioneering and innovative














·Central locking 6"castors

·Electric with two function adjustment by crank



Quality first, pioneering and innovative







Electric Hospital Bed

- Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Powerful actuator system.
- ·Central locking 6"castors

Quality first, pioneering and innovative





Electric Home Care Bed





- ·Painted wooden head & foot board & side board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·ABS bed platform
- ·Central locking 6"castors









Four crank Five Function Manual Bed





Quality first, pioneering and innovative



Four crank Five Function Hospital Bed



·Noiseless 5"castors with brake














- ·Tuck away 2-piece big ABS railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake













- ·Tuck away 4-piece ABS railing with dining table
- ·Perforated powder coated steel bed platform
- ·Central locking 6"castors



















Gray



Bule(popular color)

Wood Color ·Detachable ABS head & foot board













Three Crank Hospital Bed

Detachable ABS head & foot board

- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform with soft connection
- ·Central locking 6"castors

Quality first, pioneering and innovative











- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Oxygen bottle holder

































- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors & 4 feet





Three Crank Hospital Bed



- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform with soft connection
- ·Central locking 6"castors









- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform
- ·Central locking 6"castors









·Detachable ABS head & foot board


- ·Tuck away 2-piece big ABS railing
- ·Perforated powder coated steel bed platform with soft connection
- ·Central locking 6"castors

Quality first, pioneering and innovative



Three Crank Hospital Bed





- ·Collapsed type aluminum alloy 5-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake




















Two Crank Hospital Bed(HOT-SELLING)






- ·Collapsed type stainless steel 6-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- Noiseless 5"castors with brake











- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors & 4 feet





- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake

www. hbyinkang. com









Page17












Two Crank Hospital Bed





- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake







Two Crank Hospital Bed

- ·Detachable stainless steel head & foot board
- ·Collapsed type stainless steel 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake



- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake

Quality first, pioneering and innovative






Two Crank Hospital Bed







- ·Collapsed type aluminum alloy 5-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Central locking 6"castors


























- ·Tuck away 2-piece big ABS railing with dining table
- ·Perforated powder coated steel bed platform with soft connection
- ·Central locking 6"castors





- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake









- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake

Quality first, pioneering and innovative





Double Crank Bed









- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Central locking 6"castors





- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake

Quality first, pioneering and innovative



- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake






- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Central locking 6"castors



- ·Detachable stainless steel head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Painted wooden batten bed platform, stainless steel bed frame
- ·Noiseless 5"castors with brake

Quality first, pioneering and innovative





- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake





- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake











Punching with soft connecting ·Noiseless 5"castors with brake



Quality first, pioneering and innovative







Wire Mesh





Quality first, pioneering and innovative





·Perforated powder coated steel bed platform

















·Perforated powder coated steel bed platform




Quality first, pioneering and innovative











Quality first, pioneering and innovative







- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with flexible dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Aluminum alloy portal frame and direction frame





- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Stainless steel portal frame and direction frame





- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Stainless steel head & foot board & portal frame & direction frame





- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·Paited wooden batten bed platform
- ·Noiseless 5"castors with brake
- ·Aluminum alloy portal frame and direction frame





- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Stainless steel double arm lifting pole





Orthopaedic Traction Bed

- ·Detachable ABS head & foot board
- ·Perforated powder coated steel bed platform
- ·Stainless steel double arm lifting pole www. hby i nkang. com









Baby Bed





Single Crank Children bed

- ·Powder coated steel head & foot boards with laminated panels.
- ·Full length powder coated side rail, drop type
- ·Covered castors dia75mm with brake
- ·Dimension: 1800*800*580-1100mm
- ·With mattress (optional)
- ·With backrest lifting
- ·Noiseless 4"castors with brake





Single Crank Children bed

- ·Powder coated steel head & foot boards with laminated panels
- ·Full length powder coated side rail, drop type.
- ·Covered castors dia75mm with brake.
- ·Dimension:1800*800*580-1100mm.
- ·With mattress.
- ·With backrest lifting





Size:1600X 700 X 550mm



Baby Crib


· Size: 890*510*780-1000mm

Baby Crib









- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake









Size: 1900*600*680mm













Size: 1900*600*680mm

Exam Table(Powder Coated Steel) Size: 1900*600*680mm















Full size(L*W*H): 215*54*12cm Folded size(L*W*H): 58*21*14cm



Foldable Stretcher Full size(L*W*H): 208*550*13cm Folded size(L*W*H): 104*17*9cm



Full size(L*W*H): 185*50*18cm Folded size(L*W*H): 96*54*16cm





Spine Board Stretcher

Full size(L*W*H): 185*47*6.5cm



Foldable Stretcher

Full size(L*W*H): 220*55*15cm Folded size(L*W*H): 95*20*9cm



Scoop Stretcher

Full size(L*W*H): 214*42*7cm Folded size(L*W*H): 167*42*7cm









Full size(L*W*H): 69*51*90cm

Folded size(L*W*H): 18*51*90cm





Stair Stretcher

Full size(L*W*H): 69*51*90cm Folded size(L*W*H): 18*51*90cm



Product Size(L*W*H):1900*550*500mm

Max. angle of the back: 70°

N.W.: 25.5KG



Product Size(L*W*H):1900*550*500mm

Max. angle of the back: 70°

N.W.: 29KG



Product Size(L*W*H)(high position): 1900*550*920mm

Product Size(L*W*H)(low position): 1900*550*260mm

Ambulance Stretcher

Product Size(L*W*H)(high position): 1900*550*920mm

Product Size(L*W*H)(low position): 1900*550*250mm



Product Size(L*W*H)(high position):

1900*550*920mm

Product Size(L*W*H)(low position):

1900*550*260mm

Stretcher Trolley for Ambulance



Load Bearing: 159kg

Product Size(L*W*H):1900*550*860mm Product Size(L*W*H):1900*550*250mm

Max. angle of the back: 85°

N.W.: 45KG





Stretcher Trolley for Ambulance

Load Bearing: 159kg

Max. angle of the back: 70°

Product Size(L*W*H)(high position):1900*550*880mm

Product Size(L*W*H)(low position):1900*550*540mm

N.W.: 35KG





Stretcher Trolley for Ambulance

Load Bearing: 159kg

Product Size(L*W*H)(high position):1900*550*880mm

Product Size(L*W*H)(low position):1900*550*540mm

Max. angle of the back: 70°

N.W.: 35KG



Stretcher Trolley for Ambulance

Load Bearing: 159kg

Product Size(L*W*H)(high position):1900*550*880mm

Product Size(L*W*H)(low position):1900*550*540mm

Max. angle of the back: 70°

N.W.: 35KG







Size: 539*366*900mm




Material: ABS Size: 539*366*900mm



Material: ABS Size: 539*366*950mm







Size: 673*480*920mm



Treatment Trolley



Material: ABS Size: 630*470*920mm



Material: ABS Size: 539*366*830mm







Medicine Trolley







Material: ABS Size: 750*475*920mm



Material: ABS Size: 750*475*920mm



Medicine Trolley



Material: ABS Size: 750*475*920mm



Medicine Trolley

Size: 625*475*920mm

Emergency Trolley



Size: 750*475*920mm



Size: 750*475*920mm



Material: ABS Size: 750*475*920mm







Material: ABS Size: 750*475*920mm



Material: ABS Size: 750*475*920mm



Size: 850*520*950mm



Size: 750*475*920mm



Material: ABS

Size: 625*475*925mm



Size: 750*475*920mm





Size: 750*475*920mm



Material: ABS









ABS Bedside Cabinet

Size: 480*480*760mm



ABS Bedside Cabinet

Size: 480*480*870mm



ABS Bedside Cabinet



Size: 480*480*760mm



ABS Bedside Cabinet

Size: 480*480*760mm



Stainless Steel Bedside Cabinet

Size: 480x400x830mm



ABS Top Powder Coated Steel

Bedside Cabinet

Size: 480x400x830mm



Powder Coated Steel Bedside Cabinet ABS Bedside Cabinet



Size: 480*480*760mm



ABS Bedside Cabinet

Size: 480*480*760mm



Size: 480x400x830mm

ABS Bedside Cabinet

Size: 470*440*780mm




ABS Bedside Cabinet

Size:500*500*760mm



Bedside Cabinet

Size:520*430*770mm





Bedside Cabinet

Size:520*430*770mm



Overbed Table

Size: 800*410*730-1130mm



Overbed Table

Size: 800*410*730-1130mm



Size: 800*410*730-1130mm



Size: 800*410*730-1130mm



Size: 800*410*730-1130mm



Medical-change Trolley(S.S.)

Size: 670*450*900mm



Treatement Trolley(S.S.)

Size: 670*450*900mm



Medical-change Trolley(S.S.)

Size: 670*450*900mm



Instrument Trolley(S.S.)

Size: 670*450*900mm



Instrument Trolley(S.S.)

Size: 670*450*900mm



Instrument Trolley(S.S.) Size: 670*450*900mm











Instrument Trolley(S.S.)

Size (M):670*450*900mm



Fan Instrument Trolley(S.S.)

Size:1400*460*900mm



Medical Record Holder Trolley

(40 shelves S.S.) Size:630*430*900mm



Infusion Treatment Trolley(S.S.)

Size:670*450*1500mm



Infusion Treatment Trolley(S.S.)

Size:670*450*1500mm



Medical-change Trolley(S.S.)

Size:670*450*900mm



Medical-change Trolley(S.S.)

Size: 670*450*900mm



Anaesthetic Trolley(S.S.)

Size:600*400*850mm



Mayo Trolley(S.S.)

Size:450*350*1050mm



Mayo Trolley (S.S.)

Size:600*420*1030mm



Soak Forceps Bucket Trolley(S.S.)

Size: dia.300mm



Emergency Trolley(S.S.)

Size:700*400*850mm



Anaesthetic Trolley(S.S.)

Size:600*400*850mm



Emergency Trolley(S.S.)

Size:700*400*850mm



Soak Forceps Bucket Trolley(S.S.)

Size: dia.300mm



Medicine-change Bowl(S.S.)

Size: dia.160mm



Movable Waste Bucket(S.S.)

Size:14L



Emergency Trolley(S.S.)

Size:600*400*850mm







Emergency Trolley(S.S.) Stainless Steel Trolley For Size:700*400*850mm



Medical Record Holder(20 shelves)

Size:340*400*900mm



Dressing Trolley(S.S.)

Size:900*450*1050mm



Dressing Trolley(S.S.)

Size:900*450*1050mm



Dressing Trolley(S.S.)

Size:800*600*840mm

Ø600*840mm

Stainless Steel Stand I.V. Pole

Size:450*450*1400-2200mm



Dressing Trolley(S.S.) Size:670*550*890mm



Dressing Trolley(S.S.) Size:670*550*890mm





Size:800*600*840mm




Dressing Trolley(S.S.) Size:450*450*860mm



Dressing Trolley(S.S.)









Dressing Trolley(S.S.)

Treatment Trolley(S.S.)


Size:900*550*950mm

Size:750*500*950mm



Dressing Delivery Trolley(S.S.)

Size:1350*600*800mm



Ceiling I.V. Pole(S.S.)

Size:450*450*1400-2200mm

Stainless Steel Stand I.V. Pole

Size:350*350*1400-2100mm

Size:2000*1870mm



Stainless Steel Stand I.V. Pole

Size:450*450*1400-2200mm

Size:1500*1870mm



Power: 60W

Trash Can(S.S.)



Size:dia.220*570mm

Mobile Examination Bed Light





Dressing Delivery Trolley(S.S.)

Size:1280*840*980mm







Double Feet Oxygen Bottle Trolley (Powder Coated Steel) Size:550*380*1330mm



Double Feet Oxygen Bottle Trolley (S.S)

Size:550*380*1330mm



One Step Stool(S.S.)

Size: 460*410*250mm (can be customized)



(Powder Coated Steel) Size: 460*410*250mm



Two Step Stool

(Powder Coated Steel)

Size: 460*410*430mm

(can be customized) (can be customized) www. hby inkang. com





Size: 460*230/490*280mm



Two Step Stool



Two Step Stool

Size: 405*230/490*275mm




Luxury Transfusion Chair

Dimension: 710mm*800mm*H102mm



Dimension: 710mm*800mm*H102mm



Dimension: 750*1000/1600*450/1100mm

Dimension: 710mm*650mm*H120mm




Luxury Transfusion Chair

Dimension: 710mm*800mm*H102mm











Luxury Transfusion Chair



Nurse Chair



Nurse Chair

Size: dia.400*500-660mm Size: dia.450*540-750mm



Nurse Chair Size: dia.400*500-660mm



Nurse Chair Size: dia.410*500-870mm



Nurse Chair Size: dia.400*500-660mm



Doctor Chair



Doctor Chair



Doctor Chair



Doctor Chair





www. hby inkang. com











Treat-waiting Chair Size:1800*740*800mm

Treat-waiting Chair(Stainless Steel) Size:1800*740*800mm



Doctor Chair Size: dia.460*660-880mm



Doctor Chair

Small Square Stool Size: 380*280*475mm



Small Square Stool Size: 380*280*475mm



Treat-waiting Chair Size:1800*710*800mm Treat-waiting Chair Size:1800*710*800mm



Wheelchair Size: 670*1050*510/900mm



Commode Chair Size: 560*66/470-920mm



Commode Chair Size:710*63/460-1130mm



Multi-purpose Meeting Chair



Multi-purpose Meeting Chair



Treat-waiting Chair Size:1800*740*800mm



Treat-waiting Chair Size:1780*740*800mm





Multi-purpose Meeting Chair



Treat-waiting Chair









Medical Square Tray(S.S.)

Size(cm): 23×17×2.8 26×20×2.9 31×24×3.1 40×30×3.3 45×33×3.4



Bed Pan(S.S.)

Size: 1.2L



Bed Pan(S.S.)

Size: 36×29×9cm



Cream Cans(S.S.)

Size: 12cm/14cm/16cm



Hickey Cabinet

Material: stainless steel or powder coated steel

Size: 900*400*1750mm



Medical Cabinet

Material: stainless steel or powder coated steel

Size: 900*400*1750mm



Sterilized Bottles(S.S.)

Size: Φ50×53

Ф50×83 Ф50×93

Ф50×103



Measuring Cup(S.S.)

Size: 500ml

1000ml



Medical Tray(S.S.)

Size: 30×20×2.8cm 35×25×2.8cm

> 40×30×2.8cm 45×30×2.8cm

45×35×2.8cm

50×35×2.8cm 50×40×2.8cm

60×40×2.8cm



Medical Tray with Lid(S.S.)

Size: 8", 9", 12"



Medical Cabinet

Material: stainless steel or powder coated steel

Size: 1800*500/300*1750mm



Hickey Cabinet

Material: Stainless steel or powder coated steel

Size:900*400*1750mm



Deep Kidney Dish(S.S.)

Size: 225*125*40mm 210*110*35mm 200*105*30mm



Shallow Kidney Dish(S.S.)

Size: 204*130*25mm 190*116*25mm 178*104*25mm



Treatment Tray(S.S.) Size: 25×16×5cm

40×30×3.3cm

30×20×5cm 31×24×3.1cm



Test Tube Holder(S.S.)

Size: (Ф18mm Hole) 30 holes; 40 holes; 60 holes Size: (Ф18mm Hole)

30 holes; 40 holes; 60 holes



Medical Cabinet

Material: Stainless steel or powder coated steel Size:900*400*1750mm



Gremfree Cabinet

Material: Stainless steel or powder coated steel Size:900*400*1750mm













Six-gateway Cabinet

Material: Stainless steel or powder coated steel

Size:900*400*1750mm



Filling Cabinet

Material: Powder coated steel Size:850*400*1850mm





Single-sided Medicine Shelf

Material: Powder coated steel Size:800*460*2000mm



Two-sided Medicine Shelf

Material: Powder coated steel Size:800*910*2000mm



Single-sided Medicine Shelf

Material: Powder coated steel Size:800*910*2000mm







Four-gateway Cabinet

Material: Powder coated steel

Size:900*450*2100mm



Filling Cabinet

Material: Powder coated steel

Size:850*400*1850mm



Two-sided Medicine Shelf

Material: Powder coated steel Size:1200*460*2040mm



Two-sided Medicine Shelf

Material: Powder coated steel Size:800*800*2000mm



Adjustable Component Medicine Shelf

Material: Powder coated steel Size:1030*500*2000mm





Eighteenth-gateway Shoes Cabinet

Material: Powder coated steel Size:900*450*1750mm











Filling Cabinet

Material: Powder coated steel Size:850*400*1850mm



Medicine Shelf

Material: Powder coated steel Size:1000*500/300*2000mm



Stainless Steel Medicine Shelf

Material: Stainless steel Size:1200*450*2000mm



Medicine Shelf

Material: Powder coated steel Size:1200*450*2000mm





Rotary Medicine Shelf

Material: Powder coated steel Size:1200*450*2000mm



Stainless Steel Work Table

Material: Stainless steel Size:1800*700*850mm



Stainless Steel Work Table

Material: Stainless steel Size:1800*700*850mm



Stainless Steel Work Table

Material: Stainless steel Size:1800*800/300*1600mm





Stainless Steel Work Shelf

Material: Stainless steel Size:1500*450*2000mm









Stainless Steel Work Shelf

Material: Stainless steel Size:1500*450*2000mm



Work Shelf

Material: Powder coated steel Size:2000*480*2000mm



Packaged Table

Material: Stainless steel Size:2000*480*2000mm



Chinese Medicine Operation Desk

Material: Stainless steel Size:1600*600*850mm





Chinese Medicine Operation Desk

Material: Stainless steel Size:1600*550/300*1700/850mm



Chinese Medicine Operation Desk

Material: Stainless steel Size:1600*550*2000mm












Flat Bed mattress

Single Crank Bed Mattress













Air Mattress

Detachable Air Mattress









Ordinary Parturition Bed

·Main Technical Parameters Back section raised from the horizontal: ≥55° Seat section raised from the horizontal: ≥20° Leg section lowered from the horizontal: ≥85°



Ordinary Parturition Bed

·Main Technical Parameters Back section raised from the horizontal: ≥55°

Leg section lowered from the

·Size: 1800*500*800mm

horizontal: ≥85°



Ordinary Parturition Bed

Main Technical Parameters

Back section raised from the horizontal: ≥55° Leg section lowered from the horizontal: ≥85°

·Size: 1820*500*800mm



Operating Table

·This table is suitable for surgical procedures of the head, neck, thorax and abdomen, as well as for gynaecological, oto-rhino-laryngological and orthopedics operations. It is characterized by versatility.

Material: Stainless steel

·Functions:

Main Technical Parameters:

Head section raised from the horizontal: 0-30° Head section lowered from the horizontal: 0-90° Back section raised from the horizontal: 0-75° Back section lowered from the horizontal: 0-8° Leg section lowered from the horizontal: 0-90°

Kidney bridge elevation: 0-120mm

Trendelenburg: 0-30°

Reversed Trendelenburg: 0-30°

Lateral Tilt: 0-20°

Standard Accessories: Anesthesia screen, Shoulder support, Armrest support, Knee crutch, Body Support.

Size: 2040*480*800-1040mm (L*W*H)



Ordinary Parturition Bed

·Main Technical Parameters

Back section raised from the horizontal: ≥55° Seat section raised from the horizontal: ≥20° Leg section lowered from the horizontal: ≥85°

·Size: 1900*600*800mm



Electric Operating Table

Main Technical Parameters:

Head Section Raised from the Horizontal: 0-70°

Trendelenburg: 12°

Reversed Trendelenburg: 5°

Substructure height: 150mm

Loading bearing: 250kg

Mattress thickness: 60mm

Volume of basin: 400*280*160mm

Size of armrest: 500*165mm

Length of feet: 400-500mm

Electric Operating Table

·Main Technical Parameters:

Head Section Raised from the Horizontal: 0-70°

Trendelenburg: 12°

Reversed Trendelenburg: 5° Substructure height: 150mm Loading bearing: 250kg Feet pedal control system Mattress thickness: 60mm

Volume of basin: 400*280*160mm

Size of armrest: 500*165mm Length of feet: 400-500mm ·Size: 1890*600*800-1000mm





Electric Operating Table


·Main Technical Parameters:

Head Section Raised from the Horizontal: 0-70°

Trendelenburg: 12°

Reversed Trendelenburg: 5° Substructure height: 150mm Loading bearing: 250kg Feet pedal control system Mattress thickness: 60mm

Volume of basin: 400*280*160mm Size of armrest: 500*165mm















Electric Operating Table

Electric parturition bed is newly designed in accordance with clinical exmaination and treatment of obsterics and gynecology.

The bed is suitable for examination of medical instruments of obstetricand gynecology, urology and lens detection disgnosis in the hospitals. Bed design is streamlined, adaptable to various positions patients.

Electric adjustment to meet the overall tilt and height

adjustment by controlling the trendelenburg and reversed trendelenburg.

Mattress is made of polyurethane foam, detachable and washable

Install colposcopy onto both sides of beds according to custome's request

Hidden built-in dirt pots under the bed, easy to deal with sewage and debirs

Bed can be moved or locked Size: 1200*550*480-1200mm



Electric Parturition Bed

·This table has various functions including baby birth operation, gynecology surgical operation, patient exmination, checking and caesaean operation.

- ·304 Stainless steel materiel
- ·High density foam inside PU cover cushion, 100mm thickness, easy for cleaning and sterilization.
- ·Foot pedal and hand remote control the movements, easy and saft to operate
- ·Mounted on 6" strong castors with side braking system
- ·Ergonomic ABS guardrail, easy for cleaning and safe
- ·Soft pillow makes the patient comfortable
- ·With manual CPR function
- ·Functions:

Backrest raised from the horizontal: 0-70°

Trendelenburg: 0-5°

Reverse trendelenburg: 0-12°

Pelvic section raised from the horizontal:0-17°

Leg board can be outreached: 0-90°





Stainless Steel Patient Trolley

- ·Material: stainless steel
- ·Stretcher and trolley can be separated
- •Size:1960*600*750mm



Patient Trolley

- ·Material: powder coated steel
- ·Back rest lifting by gas spring
- ·Size:1960*700*620-800mm



Stainless Steel Patient Trolley

- ·Material: stainless steel
- ·Back rest lifting by gas spring
- ·Size:1960*600*750mm



Stainless Steel Patient Trolley

- ·Material: stainless steel
- ·Stretcher and trolley can be separated
- ·Size:1960*600*750mm



Stainless Steel Patient Trolley

- •Three-crank:back-rest lifting;leg-rest lifting;height adjustment
- ·Stainless steel frame, fifth-aluminium alloy guardrail
- •5 inch silent caster, with brake
- ·Accessories:I.V.pole,oxygen cylinder holder,debris basket,mattress
- ·Size:1930*750*620-880mm



Luxury Transportation Trolley

- ·Electrostatic spray steel frame.
- ·Two long ABS guardrail.
- Function:Back-rest lifting:0-75°.
- Height adjustment:500-900mm.
- ·6 inch central controlled caster.
- •5th wheel to control the direction of moving.
- ·With oxygen cylinder holder.
- •With 1 piece SS telescoping I.V. stand and previsions.
- ·Loading bearing:220kg.
- *Size(L*W*H):1950*650*500-900mm.













Luxury Transportation Trolley

- ·Equiped with two USA hydraulic pumps.
- ·Electrostatic spray steel frame.
- .Two long ABS guardrail.
- •Pedal control elevation and trendelemburg/reverse

Trendelenburg located on both sides of the table.

Function:Back-rest lifting:0-75°

Reversed trendelenburg:0-15°

Trendelenburg:0-15°

Height adjustment:630-930mm

- ·8 inch central controlled caster.
- •5th wheel to control the direction of moving.
- ·With oxygen cylinder holder.
- •With 1 piece SS telescoping I.V. stand and previsions.
- Loading bearing:220kg.
- *Size(L*W*H):1950*700*630-930mm



Luxury Transportation Trolley

- ·Equiped with two USA hydraulic pumps.
- ·Electrostatic spray steel frame and ABS base.
- ·Foldable aluminium alloy guardrail.
- •With 100mm waterproof PU mattress.
- ·8 inch central controlled caster.
- Pedal control elevation and trendelemburg/reverse

Trendelenburg located on both sides of the table.

- ·X-ray translucent platform.
- •5th wheel to control the direction of moving.
- Function:Back-rest lifting:0-82°(±5°)

Leg-rest lifting:0-30°(±5°)

Reversed trendelenburg:0-18°

Trendelenburg:0-18°

Height adjustment:615-935mm

- With oxygen cylinder holder and tray for placement of x-rays cassette.
- •With 1 piece SS telescoping I.V. stand and previsions.
- ·Loading bearing:220kg.
- ·Size(L*W*H):2100*850*615-935mm




Operation Connecting Trolley

- ·Back-rest lifting:0-75°
- ·6 inch central controlled caster.
- •PP guardrail and surface.
- ·Electrostatic spray and aluminium alloy rail, frame.
- Adjustable directional caster, mattress.
- *Size(L*W*H):3650*640*640-970mm



Operation Connecting Trolley

- ·Back-rest lifting:0-75°
- •6 inch central controlled caster.
- •PP guardrail and surface.
- ·Electrostatic spray and aluminium alloy rail, frame.
- ·Adjustable directional caster, mattress.
- *Size(L*W*H):3650*640*640-970mm













Multiduty Lumbar Traction Bed

Technological Parameters:

Power supply: 220/50HZ

·Power: 360w

•Traction length: 0-250mm

*Traction force: 10-990N (adjustable)

•Total time: 99 min (adjustable)

. Continuous traction time: 9 min (adjustable)

Intermission time: 0-9 min (adjustable)

·Swing angle: 60°

Angular degree: +60°~-20° (adjustable)



Technological parameter:

·Power: 360W

Electrical source: 220/50Hz
Traction length: 0-250mm

•Traction force: 10-990N (adjustable)

·Total time: 0-99min (adjustable)

. Continuous traction time: 0-9min (adjustable)

•Intermission time: 0-9min (adjustable)

·Swing angle: 60 degree

·Angular degree: 60 degree20 degree (adjustable)



Multiduty Lumbar Traction Bed

Technological Parameters:

•Power supply: 220/50HZ

•Power: 360w

•Traction length: 0-250mm

Traction force: 10-990N (adjustable)

•Total time: 0-99 min (adjustable)

Continuous traction time: 0-9 min (adjustable)

•Intermission time: 0-9 min (adjustable)

MARIONA

Cervical And Lumbar Traction Bed

Technological parameter:
•Power Supply: 220/50HZ

·Power: 360W

•Traction length: 0-250mm

•Traction force: 10-990N (adjustable)
•Total time: 0-99min (adjustable)

·Continuous traction time: 0-9min (adjustable)

·Intermission time: 0.5min (adjustable)

·Swing angle: 60 degree

•Angular degree: +60 °~-20 ° (adjustable)





Cervical Traction Chair

•Cervical vertebra traction chair uses hand to tractile. It is suitable for all kinds of cervical vertebra, facture of neck by trauma, dislocation & luxation, concomitant incomplete paraplegia or hemiplegia. Furthermore, it also applicable to such clinic symptoms as vertebra swirl and headache, abnormity of blood pressure, and obstacle of eyesight and language as well.



Cervical Traction Chair

Technological Parameter:

Power Supply: 220/50HZ

·Power: 120W

•Traction distance: 0-300mm

Traction force: 0-200N(adjustable)

Traction speed: 6mm/s-10mm/s



Cervical Traction Chair



Technological Parameter:

Power Supply: 220/50HZ

·Power: 360W

•Traction length: 0-250mm

Traction force: 10-990N (adjustable)

•Total time: 0-99min (adjustable)

Continuous traction time: 0-9min (adjustable)

Intermission time: 0.5min (adjustable)

•Swing angle: 60 degree

Angular degree: +60 °~-20 °









